ARMPAD STACK AND REACH LIST FOR SPEEDMAX CF TRI VERSION

CANYON

SPEEDMAX TUTORIAL STACK AND REACH PAD/BASEBAR

This is how to measure Armpad Stack&Reach:

1. Push your bike with the front wheel against a wall
2. Measure the distance between floor and middle of the armpads: B+C
3. Measure the distance between bottom bracket and middle of the floor: E
4. Subtract both values (B+C)-E= Armpad Stack

5. Measure the distance between wall and bottom bracket: A+D
6. Subtract the distance from the wall to the middle of the armpad (A+D)-F=Armpad Reach

A = _____cm
B = _____cm
C = _____cm
D = _____cm
E = _____cm
F = _____cm

(B+C)-E= _____Armpad Stack

(A+D)-F = _____Armpad Reach

CANYON



Armpad Stack&Reach measuring for Canyon Speedmax CF

Stem	Basebar	Spacer (mm)	Arm Pad Stack (mm) 0 - 2 Stem Spacer (10mm)		Arm Pad Stack (mm) 3 or 4 Stem Spacer (10mm)		S					
							Stack: 488 mm, Reach: 413 mm (Frame)					
							Arm Pad Reach (mm) 3 Positions in 13,3 mm steps					
							S stem 70 mm		M stem 85 mm		L stem 100 mm	
			Lowest	Highest	Low	High	Min	Max	Min	Max	Min	Max
TRI	Flat	1 x 60, 3 x 5	663	682	692	701	see below	see below	see below	see below	see below	see below
TRI	Flat	1 x 60, 2 x 5	658	677	687	696						
TRI	Flat	1 x 60, 1 x 5	653	672	682	691						
TRI	Flat	1 x 60	648	667	677	686						
TRI	Flat	2 x 20, 2 x 5	638	657	667	676						
TRI	Flat	2 x 20, 1 x 5	633	652	662	671	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer
TRI	Flat	2 x 20	628	647	657	666	439	479	454	494	469	509
TRI	Flat	1 x 20, 3 x 5	623	642	652	661	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer
TRI	Flat	1 x 20, 2 x 5	618	637	647	656	442	482	457	497	472	512
TRI	Flat	1 x 20, 1 x 5	613	632	642	651	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer
TRI	Flat	1 x 20	608	627	637	646	445	485	460	500	475	515
TRI	Flat	3 x 5	603	622	632	641	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer
TRI	Flat	2 x 5	598	617	627	636	448	488	463	503	478	518
TRI	Flat	1 x 5	593	612	622	631	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer
TRI	Flat	0	588	607	617	626	451	491	466	506	481	521
TRI	Flat	0	562	581	591	600						
		Extensions below Basebar										

extrem

Standard

Option

Stem	Basebar	Spacer (mm)	Arm Pad Stack (mm) 0 - 2 Stem Spacer (10mm)		Arm Pad Stack (mm) 3 or 4 Stem Spacer (10mm)		M					
							Stack: 508 mm, Reach: 435 mm (Frame)					
							Arm Pad Reach (mm) 3 Positions in 13,3 mm steps					
							S stem 70 mm		M stem 85 mm		L stem 100 mm	
			Lowest	Highest	Low	High	Min	Max	Min	Max	Min	Max
TRI	Flat	1 x 60, 3 x 5	683	702	712	721	see below	see below	see below	see below	see below	see below
TRI	Flat	1 x 60, 2 x 5	678	697	707	716						
TRI	Flat	1 x 60, 1 x 5	673	692	702	711						
TRI	Flat	1 x 60	668	687	697	706						
TRI	Flat	2 x 20, 2 x 5	658	677	687	696						
TRI	Flat	2 x 20, 1 x 5	653	672	682	691	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer
TRI	Flat	2 x 20	648	667	677	686	461	501	476	516	491	531
TRI	Flat	1 x 20, 3 x 5	643	662	672	681	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer
TRI	Flat	1 x 20, 2 x 5	638	657	667	676	464	504	479	519	494	534
TRI	Flat	1 x 20, 1 x 5	633	652	662	671	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer
TRI	Flat	1 x 20	628	647	657	666	467	507	482	522	497	537
TRI	Flat	3 x 5	623	642	652	661	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer
TRI	Flat	2 x 5	618	637	647	656	470	510	485	525	500	540
TRI	Flat	1 x 5	613	632	642	651	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer
TRI	Flat	0	608	627	637	646	473	513	488	528	503	543
		0	582	601	611	620						

extrem

Standard

Option

Stem	Basebar	Spacer (mm)	Arm Pad Stack (mm) 0 - 2 Stem Spacer (10mm)		Arm Pad Stack (mm) 3 or 4 Stem Spacer (10mm)		L					
							Stack: 528 mm, Reach: 460 mm (Frame)					
							Arm Pad Reach (mm) 3 Positions in 13,3 mm steps					
							S stem 70 mm		M stem 85 mm		L stem 100 mm	
			Lowest	Highest	Low	High	Min	Max	Min	Max	Min	Max
TRI	Flat	1 x 60, 3 x 5	703	722	732	741	see below	see below	see below	see below	see below	see below
TRI	Flat	1 x 60, 2 x 5	698	717	727	736						
TRI	Flat	1 x 60, 1 x 5	693	712	722	731						
TRI	Flat	1 x 60	688	707	717	726						
TRI	Flat	2 x 20, 2 x 5	678	697	707	716						
TRI	Flat	2 x 20, 1 x 5	673	692	702	711	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer	4 Stem Spacer
TRI	Flat	2 x 20	668	687	697	706	486	526	501	541	516	556
TRI	Flat	1 x 20, 3 x 5	663	682	692	701	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer	3 Stem Spacer
TRI	Flat	1 x 20, 2 x 5	658	677	687	696	489	529	504	544	519	559
TRI	Flat	1 x 20, 1 x 5	653	672	682	691	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer	2 Stem Spacer
TRI	Flat	1 x 20	648	667	677	686	492	532	507	547	522	562
TRI	Flat	3 x 5	643	662	672	681	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer	1 Stem Spacer
TRI	Flat	2 x 5	638	657	667	676	495	535	510	550	525	565
TRI	Flat	1 x 5	633	652	662	671	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer	0 Stem Spacer
TRI	Flat	0	628	647	657	666	498	538	513	553	528	568
TRI	Flat	0	602	621	631	640						
		Extensions below Basebar										

extrem

Standard

Option

Frame Size	Stem	Stem Spacer (SS)	Basebar	Stack	Reach		
					S Stem	M Stem	L Stem
L	TRI	4 Stem Spacer	Flat	640	4 SS=605 3SS=608 2 SS=611 1 SS=614 0 SS=617	4 SS=620 3SS=623 2 SS=626 1 SS=629 0 SS=632	4 SS=635 3SS=638 2 SS=641 1 SS=644 0 SS=647
		3 Stem Spacer		631			
		2 Stem Spacer		622			
		1 Stem Spacer		612			
		0 Stem Spacer		602			
		4 Stem Spacer	Drop	598			
		3 Stem Spacer		489			
		2 Stem Spacer		579			
		1 Stem Spacer		570			
		0 Stem Spacer		560			
	TT	no option	Flat	557	631	646	661
			Drop	515			
M	TRI	4 Stem Spacer	Flat	615	4 SS=580 3SS=583 2 SS=586 1 SS=589 0 SS=592	4 SS=595 3SS=598 2 SS=601 1 SS=604 0 SS=607	4 SS=610 3SS=613 2 SS=616 1 SS=619 0 SS=622
		3 Stem Spacer		606			
		2 Stem Spacer		596			
		1 Stem Spacer		587			
		0 Stem Spacer		577			
		4 Stem Spacer	Drop	573			
		3 Stem Spacer		564			
		2 Stem Spacer		554			
		1 Stem Spacer		545			
		0 Stem Spacer		535			
	TT	no option	Flat	537	606	621	636
			Drop	495			
S	TRI	4 Stem Spacer	Flat	595	4 SS=559 3SS=562 2 SS=565 1 SS=568 0 SS=571	4 SS=574 3SS=5767 2 SS=580 1 SS=583 0 SS=586	4 SS=589 3SS=592 2 SS=595 1 SS=598 0 SS=601
		3 Stem Spacer		586			
		2 Stem Spacer		576			
		1 Stem Spacer		567			
		0 Stem Spacer		557			
		4 Stem Spacer	Drop	553			
		3 Stem Spacer		544			
		2 Stem Spacer		534			
		1 Stem Spacer		525			
		0 Stem Spacer		515			
	TT	no option	Flat	517	585	600	615
			Drop	475			
		4 pad positions in 13,5 mm steps					

Standard

Option

SS=Stem Spacer